Online Supplement Patient Burden and Insights in COPD: A Survey Analysis

David M. Mannino, MD¹ Sarina Trac² Jai Seth² Amy Dixon³ Kavita Aggarwal³ Brooks Kuhn, MD, MAS⁴

¹COPD Foundation, Miami, Florida, United States

²Phreesia Life Sciences, Wilmington, Delaware, United States

³Verona Pharma, Raleigh, North Carolina, United States

⁴Davis School of Medicine, University of California, Sacramento, California, United States

Address correspondence to: David M. Mannino, MD COPD Foundation Miami, FL Phone: (859) 797-2579 Email: dmannino@copdfoundation.org

Table of Contents

| Phreesia PatientInsights COPD survey | 3 |
|---|----|
| Table S1. Impact of COPD by maintenance medication status | 17 |
| Table S2. Associations between demographic variables and key survey responses | 18 |
| Figure S1. Reasons patients did not try maintenance medications | 20 |
| Figure S2. Types of COPD treatments discussed with HCPs or tried | 20 |

Phreesia PatientInsights COPD survey

Consent

Page exit logic: Skip / Disqualify Logic**IF:** #1 Question "The following questions are being asked to better understand peoples' experiences with chronic obstructive pulmonary disease (COPD). These questions are not being asked by your doctor's office and your responses are anonymous and will not be shared with your doctor. It will take 2-3 minutes to complete. Your feedback is very valuable and you may stop at any time. Do you wish to continue?" is one of the following answers ("No") **THEN:** Jump to <u>page 24 - Disqualify</u> Flag response as complete

The following questions are being asked to better understand patient experiences and decisionmaking around chronic obstructive pulmonary disease (COPD). This survey is optional.

Your answers will **not** be shared with your health care provider.

Phreesia will not store your name with your survey responses. Phreesia may use other information you have provided to Phreesia (such as demographic information) to better understand how different people answer the survey questions. Phreesia may publish insights gained from survey responses, but Phreesia will not publish or share your identity or your individual survey responses with third-parties.

This consent is only for this survey. If you'd like to withdraw your consent after completing the survey, please write to privacy@phreesia.com.

These questions will take about 5-7 minutes to complete. Your feedback is very valuable. **Do** you wish to continue?

() Yes

() No

Diagnosis

Page exit logic: Skip / Disqualify LogicIF: #2 Question "Which of the following conditions have you been diagnosed with? Please check all that apply." is not one of the following answers ("COPD") THEN: Jump to page 24 - Disqualify

- 1. Which of the following conditions have you been diagnosed with? Please check all that apply.*
- a. COPD
- b. Asthma
- c. Chronic sinusitis
- d. Seasonal allergies
- e. Other
- f. Decline to answer

Symptoms

- 2. How long have you experienced COPD symptoms?*
- a. Less than 6 months
- b. Between 6-12 months
- c. 1-2 years
- d. 3-5 years
- e. 6-7 years
- f. More than 7 years
- g. Decline to answer

Slider

Validation: Min = 0 Max = 30

3. When experiencing these symptoms, how many days in a typical month do the symptoms impact your daily life?*

0______30

[] Decline to answer

- 4. Which symptom impacts your daily life the **most**? Please select one.
- a. Dyspnea (shortness of breath)
- b. Fatigue
- c. Cough
- d. Phlegm (excessive mucous production)
- e. Wheezing
- f. Chest tightness
- g. Other (e.g. respiratory or chest infections, swollen ankles etc.)
- h. Decline to answer

Impact on QoL

- 5. How much does COPD impact your everyday life?*
- a. Great impact
- b. Moderate impact
- c. Little impact
- d. Decline to answer

Emotional Impact

- 6. How much has COPD impacted your emotional and mental health?*
- a. Great impact
- b. Moderate impact
- c. Little impact
- d. Decline to answer

Impact Work

7. Has COPD impacted your ability to work? Please select all that apply. *

- a. Yes, I have lost my job due to COPD
- b. Yes, I have missed 1-3 days of work a month due to COPD
- c. Yes, I have missed more than 3 days of work a month due to COPD
- d. Yes, I have to take frequent breaks at work due to COPD
- e. No, COPD has not impacted my ability to work
- f. Decline to answer

Slider Discuss

Validation: Min = 0 Max = 100

- 8. How often do you discuss your COPD with the other doctors who are not the main ones to treat your COPD? Please answer in the percentage of your appointments with other doctors. Your best guess is fine.*
- 0_____100

[] Decline to answer

Detail Discuss

9. With how much detail do you describe your COPD symptoms to your main doctors who treat your COPD?*

- a. With a great level of detail
- b. With some detail
- c. With little detail
- d. With no detail
- e. Decline to answer

Understand COPD

10. How well do you feel you understand COPD?*

- a. Completely
- b. Quite a bit
- c. Somewhat
- d. Just a little bit
- e. Not at all
- f. Decline to answer

Treatments Discussed

11. What type of COPD treatments have you discussed with your doctor? Please check all that apply.*

- a. Rescue inhalers
- b. Maintenance medications
- c. Pulmonary rehabilitation

- d. Other
- e. I have not yet discussed treatments with my doctor
- f. Decline to answer

Treatments Tried

Logic: Show/hide trigger exists.

- 12. What type of COPD treatments have you ever tried? Please check all that apply.*
- a. Rescue inhalers
- b. Maintenance medications
- c. Pulmonary rehabilitation
- d. Other
- e. I have not yet tried any treatments
- f. Decline to answer

Awareness

- 13. Which of the following maintenance brands come to mind for COPD? Please check all that apply.*
- a. Incruse[®] Ellipta[®]
- b. Spiriva® Respimat®
- c. Seebri[™] Neohaler[®]
- d. Tudorza[®] Pressair[®]
- e. Brovana®
- f. Anoro[®] Ellipta[®]
- g. Bevespi Aerosphere®
- h. Utibron[®] Neohaler[®]
- i. Stiolto[®] Respimat[®]

- j. Trelegy®
- k. Breztri Aerosphere®
- I. Symbicort Turbuhaler
- m. Breo®
- n. Yupelri®
- o. DuoNeb®
- p. Pulmicort Respules™
- q. Other
- r. I cannot recall any maintenance COPD brands
- s. Decline to answer

Ever Used

Logic: Show/hide trigger exists.

- 14. What medications have you ever used to treat your COPD? Please check all that apply.*
- a. Incruse[®] Ellipta[®]
- b. Spiriva® Respimat®
- c. Seebri[™] Neohaler[®]
- d. Tudorza® Pressair®
- e. Brovana®
- f. Anoro[®] Ellipta[®]
- g. Bevespi Aerosphere®
- h. Utibron® Neohaler®
- i. Stiolto[®] Respimat[®]
- j. Trelegy®
- k. Breztri Aerosphere®
- I. Symbicort Turbuhaler

- m. Breo®
- n. Yupelri®
- o. DuoNeb®
- p. Pulmicort Respules™
- q. Other
- r. I have not used any maintenance medications
- s. Decline to answer

15. Please rate your agreement on the statements below.

IF EVER USED INHALER MEDICATION [Incruse, Spiriva, Seebri, Tudorza, Anoro, Bevespi, Utibron, Stiolto, Trelegy, Breztri, Symbicort or Breo] I find it hard to coordinate breathing with pushing inhaler button

IF EVER USED INHALER MEDICATION [Incruse, Spiriva, Seebri, Tudorza, Anoro, Bevespi, Utibron, Stiolto, Trelegy, Breztri, Symbicort or Breo] I find it hard to breathe fast/hard enough with some inhaler doses

IF EVER USED INHALER MEDICATION [Incruse, Spiriva, Seebri, Tudorza, Anoro, Bevespi, Utibron, Stiolto, Trelegy, Breztri, Symbicort or Breo] I find the instructions on how to use different inhalers confusing

IF EVER USED NEBULIZER MEDICATION [Brovana, Yupelri, DuoNeb, Pulmicort] I find it time consuming to clean my nebulizer mouthpiece

IF EVER USED NEBULIZER MEDICATION [Brovana, Yupelri, DuoNeb, Pulmicort] When I use a nebulizer, I am confident that the medicine is getting into my lungs

- a. Strongly agree
- b. Agree
- c. Neither agree or disagree
- d. Disagree
- e. Strongly disagree
- f. Decline to answer

Current Treatment

Logic: Hidden unless: #14 Question "What medications have you ever used to treat your COPD? Please check all that apply." is not one of the following answers ("I have not used any maintenance medications")

Piping: Piped Values From Question 14. (What medications have you **ever used** to treat your COPD? Please check all that apply.)

- 16. What medications are you currently using to treat your COPD? Please check all that apply.*
- a. I am not currently on any maintenance medications
- b. Decline to answer
- 17. IF CURRENTLY ON BID MEDICATIONS (Seebri, Tudorza, Brovana, Bevespi, Utibron, Breztri, Symbicort, Pulmicort) Please rate your agreement on the following statement:

The second dose of my medication helps control symptoms during the night until my morning dose.

- a. Strongly agree
- b. Agree
- c. Neither agree or disagree
- d. Disagree
- e. Strongly disagree
- f. Decline to answer
- 18. IF CURRENTLY ON BROVANA, YUPELRI, DUONEB, PULMICORT (NEBULIZER) Why are you using a nebulizer? Please select all that apply.
- a. My doctor recommended it
- b. It's the only way my medication is delivered
- c. It's easier to inhale the medication
- d. It's easier to use than a hand held inhaler
- e. I feel better faster than a hand held inhaler
- f. Other
- g. Decline to answer

- 19. IF CURRENTLY ON BROVANA, YUPELRI, DUONEB, PULMICORT (NEBULIZER) How often do you use a nebulizer? Please select one.
- a. Twice a day
- b. Once a day
- c. Only during my COPD flare ups
- d. Other
- e. Decline to answer

Satisfaction

Piping: Piped From Question 14. (What medications have you **ever used** to treat your COPD? Please check all that apply.)

20. How satisfied are you with these medications for COPD?*

| | Complet ely satisfied | Very satisfi ed | Somew hat satisfied | Somewh at unsatisfi ed | Very unsatisfi ed | Complet ely unsatisfi ed | Decli ne to answ er |
|--|-----------------------------|-----------------------|---------------------------|---------------------------------|-------------------------|-----------------------------------|------------------------------|
|--|-----------------------------|-----------------------|---------------------------|---------------------------------|-------------------------|-----------------------------------|------------------------------|

Miss Meds

Logic: Show/hide trigger exists. Hidden unless: #12 Question "What type of COPD treatments have you ever tried? Please check all that apply." is not one of the following answers ("I have not yet tried any treatments")

21. Have you missed any doses of your COPD medications in the last 3 months?*

- a. Yes
- b. No
- c. I was not on any COPD medications in the past 3 months
- d. Decline to answer

Why Miss Meds

Logic: Hidden unless: #16 Question "Have you missed any doses of your COPD medications in the last 3 months?" is one of the following answers ("Yes")

- 22. Why did you miss taking your COPD medications in the last 3 months?*Select all that apply.
- a. It did not work well
- b. It costed too much
- c. It was too complicated to take
- d. I typically used medications for short-term relief
- e. I was concerned about medication side effects
- f. I simply forgot to take it
- g. Other
- h. Decline to answer

Intent

Logic: Hidden unless: #14 Question "What medications have you ever used to treat your COPD? Please check all that apply." is not one of the following answers ("I have not used any maintenance medications")

23. How likely are you to try a new maintenance medication for your COPD?*

a. Extremely likely

- b. Very likely
- c. Somewhat likely
- d. Somewhat unlikely
- e. Very unlikely
- f. Extremely unlikely
- g. Decline to answer

Logic: Hidden unless: #14 Question "What medications have you ever used to treat your COPD? Please check all that apply." is one of the following answers ("I have not used any maintenance medications")

24. How likely are you to try a maintenance medication for your COPD? *

- a. Extremely likely
- b. Very likely
- c. Somewhat likely
- d. Somewhat unlikely
- e. Very unlikely
- f. Extremely unlikely
- g. Decline to answer

Why Not Maintenance

Logic: Hidden unless: (#14 Question "What medications have you ever used to treat your COPD? Please check all that apply." is one of the following answers ("I have not used any maintenance medications", "Decline to answer") OR #15 Question "What medications are you currently using to treat your COPD? Please check all that apply." is one of the following answers ("I am not currently on any maintenance medications", "Decline to answer"))

25. Why aren't you on a maintenance medication now? Please check all that apply.*

- a. My COPD is not severe enough
- b. COPD attacks are not frequent enough
- c. I don't want to take a daily medication
- d. My doctor has not recommended it
- e. Concerns about side effects
- f. Concerns about medication cost
- g. Other
- h. Decline to answer

Why Maintenance Meds

Logic: Hidden unless: #14 Question "What medications have you ever used to treat your COPD? Please check all that apply." is not one of the following answers ("I have not used any maintenance medications")

26. Why did you start maintenance medication? Please check all that apply.*

- a. My COPD was too severe
- b. COPD attacks were too frequent
- c. My doctor recommended it
- d. Recue inhalers were not working well
- e. Other
- f. Decline to answer

Increase Med Trust

- 27. What kind of resources about COPD care would be helpful to you? Please select all that apply. *
- a. A nursing line to answer questions about medication use
- b. Tips for better handling side effects

- c. Questions to prepare my discussion with my doctor
- d. Resources to better understand how my medication works
- e. Financial support on medication cost
- f. Connecting me to other patients on my medication
- g. Phone apps to manage your symptoms
- h. Other
- i. Decline to answer

Lifestyle Changes

Page exit logic: Skip / Disqualify Logic**IF:** #23 Question "Which of the following lifestyle changes do you plan on making in the next 6-months? Please check all that apply." **THEN:** Jump to <u>page</u> <u>25 - Complete</u> Flag response as complete

28. Which of the following lifestyle changes do you plan on making in the next 6-months? Please check all that apply.*

- a. Quit smoking
- b. Exercise regularly
- c. Eat a healthy diet
- d. Avoid close contact with people who have respiratory infections
- e. Avoid excessive heat, cold, and very high altitudes
- f. Avoid exposure to environmental irritants
- g. Learn breathing techniques
- h. Learn relaxation techniques
- i. Other
- j. I do not plan on making any lifestyle changes
- k. Decline to answer

TABLES

Table S1. Impact of COPD by maintenance medication status

| Proportion, % | Currently on maintenance medication | Currently <u>not</u> on any maintenance medication but have tried in the past |
|--|-------------------------------------|--|
| How much does COPD impact your everyday life? | | |
| Great/moderate [NET] | 68* | 53* |
| Great impact | 29 | 22 |
| Moderate impact | 39 | 31 |
| Little impact | 32* | 47* |
| Base, n | 1188 | 118 |
| How much has COPD impacted your emotional and mental health? | | |
| Great/moderate [NET] | 52* | 39* |
| Great impact | 19 | 18 |
| Moderate impact | 33* | 21* |
| Little impact | 48* | 61* |
| Base, n | 1163 | 119 |

*Statistical significance determined at P<0.05 (chi-square test).

| | | Gender | | Age | | | R | ace | Ethnicity | | Location Setting | | |
|---|------------------|--------|------|-------|-------|------|-------|-------|-----------|--------------|------------------|----------|-------|
| Proportion, % | Overall | Female | Male | 18-44 | 45-64 | 65+ | Black | White | Hispanic | Not Hispanic | Rural | Suburban | Urban |
| How much does | COPD | | | | | | | | | | | | |
| impact your even | ryday life? | | | | | | | | | | | | |
| Great/moderate | | | | | | | | | | | | | |
| [NET] | 64 | 63 | 66 | 76 | 72* | 59* | 64 | 64 | 51 | 64 | 73* | 71* | 62* |
| Great impact | 26 | 24* | 29* | 24 | 34* | 22* | 29 | 26 | 32 | 26 | 29 | 29 | 26 |
| Moderate | | | | | | | | | | | | | |
| impact | 38 | 39 | 37 | 52 | 38 | 38 | 35 | 38 | 19* | 38* | 45 | 43 | 37 |
| Little impact | 36 | 37 | 34 | 24 | 28* | 41* | 36 | 36 | 49 | 36 | 27* | 29* | 38* |
| Base, n | 1841 | 1089 | 750 | 29 | 653 | 1159 | 152 | 1486 | 37 | 1525 | 112 | 195 | 1508 |
| How much has C impacted your er and mental healt | motional | | | | | | | | | | | | |
| Great/moderate [NET] | 50 | 52* | 47* | 50 | 63* | 43* | 51 | 50 | 52 | 50 | 61* | 55* | 49* |
| Great impact | | | | | | | | | | | | | |
| - | 18 | 19 | 17 | 29 | 26* | 13* | 20 | 17 | 30 | 18 | 18 | 22 | 17 |
| Moderate impact | 32 | 33 | 31 | 21 | 37* | 30* | 31 | 32 | 21 | 32 | 43* | 33* | 31* |
| Little impact | 50 | 48* | 53* | 50 | 37* | 57* | 49 | 50 | 48 | 50 | 39* | 45* | 51* |
| Base, n | | - | | | | | | | | | | - | |
| | 1792 | 1057 | 733 | 28 | 642 | 1122 | 144 | 1449 | 33 | 1490 | 109 | 189 | 1468 |
| With how much you describe you symptoms to you doctors who trea COPD? | r COPD r main | | | | | | | | | | | | |
| With a great level of detail | 45 | 42* | 48* | 65 | 49* | 42* | 48 | 44 | 47 | 45 | 44 | 39 | 45 |
| With some | UTJ | 72 | 01 | 05 | T2 | 72 | 0ד | ++ | +/ | ст. Ст | | 37 | чJ |
| detail | 33 | 34 | 33 | 12 | 32 | 34 | 28 | 34 | 30 | 33 | 35 | 36 | 33 |
| With little detail | 15 | 16 | 14 | 8 | 12* | 17* | 14 | 15 | 10 | 15 | 16 | 17 | 14 |
| With no detail | 7 | 8 | 6 | 15 | 7 | 7 | 11 | 7 | 13 | 7 | 5 | 8 | 7 |
| Base, n | 1671 | 990 | 679 | 26 | 579 | 1066 | 130 | 1367 | 30 | 1402 | <u> </u> | 179 | 1370 |

Table S2. Associations between demographic variables and key survey responses

| How well do you understand COI | | | | | | | | | | | | | |
|---|------------|------|-----|----|-----|------|-----|------|----|------|-----|-----|------|
| Completely | 24 | 27* | 20* | 38 | 24 | 24 | 33* | 23* | 29 | 24 | 21 | 27 | 24 |
| Quite a bit | 40 | 40 | 40 | 27 | 35* | 43* | 21* | 42* | 41 | 40 | 44 | 39 | 40 |
| Somewhat | 26 | 24* | 29* | 19 | 28 | 25 | 29 | 26 | 15 | 26 | 27 | 27 | 26 |
| Just a little bit | 7 | 7 | 8 | 12 | 10 | 6 | 11 | 7 | 9 | 8 | 8 | 7 | 7 |
| Not at all | 2 | 2 | 2 | 4 | 3 | 2 | 6 | 2 | 6 | 2 | 0 | 0 | 2 |
| Somewhat/a little bit/not at all [NET] | 36 | 33* | 39* | 35 | 41* | 33* | 46* | 35* | 29 | 36 | 35 | 34 | 36 |
| Base, n | 1718 | 1018 | 698 | 26 | 596 | 1096 | 136 | 1397 | 34 | 1438 | 102 | 180 | 1410 |
| | | | | | | | | | | | | | |
| What type of CC treatments have discussed with y doctor? Please c that apply. | you our | | | | | | | | | | | | |
| Rescue inhalers | 75 | 78* | 71* | 78 | 79* | 73* | 77 | 75 | 69 | 76 | 79 | 76 | 75 |
| Maintenance medications | 67 | 66 | 69 | 48 | 65 | 69 | 55* | 69* | 63 | 69 | 80* | 59* | 67* |
| Pulmonary rehabilitation | 16 | 15 | 17 | 19 | 14 | 17 | 16 | 15 | 16 | 16 | 22* | 11* | 16* |
| Other | 7 | 8 | 7 | 11 | 9 | 6 | 8 | 7 | 3 | 7 | 8 | 10 | 7 |
| I have not discussed any | | | | 15 | 7 | 6 | 4 | 7 | 9 | 6 | 3 | 7 | 7 |
| treatments | 6 | 6 | 6 | 15 | / | 0 | 4 | / | 9 | 0 | | | / |

* Statistical significance determined at P<0.05 (chi-square test).

SUPPLEMENTAL FIGURE TITLES AND LEGENDS



Figure S1. Reasons patients did not try maintenance medications

Among patients who have not tried maintenance medications or are not currently on maintenance medications

Figure S2. Types of COPD treatments discussed with HCPs or tried

Discussed with HCP (n=1,672)

Tried treatment

(among patients who discussed with HCP; n=1,622)

